Code o			Citation of Documents	Relevant Claims
A	2	2.	2. US 5,953,187 September 14, 1999	entirety
			High-density flexible disk drive having a function of	1
			facilitating correct insertion of a large-capacity	
			flexible disk thereinto without an insertion error	
			claims 1~4	
	-		In a high-density flexible disk drive, a color of at	
	1		Least a surface of a cover (22) (in addition, a color	
			of at least a surface of an eject button (30)) is	
			different from that of at least a surface of a body	
			of a front panel (20). A user can visually	
	i		distinguish the high-density flexible disk drive from	
			a normal-density dedicated flexible disk drive in	
	İ		which a color of a surface of a cover is identical	
			with that of a surface of a body of a front panel	
	l		Thus, a large-capacity flexible disk can be correctly	
			inserted into the high-density flexible disk drive	
	1		without being erroneously inserted into the	
			normal-density dedicated flexible disk drive.	
		2	TW 391548 May 21, 2000	
	ļ	٥.	Enhanced high-density video disc	
			claim 1 An enhanced high-density video disc having multiple adjacent dat	9
				_
			tracks in the form of a circle distributed on its surface, each of the dat	l .
			track being composed of data holes of different lengths, characterized i	l l
			that, a smaller distance is provided among each adjacent data track while	
			the width of each data hole is provided in thinner range, and the length of	1
1			each data hole is shorter at a lower write speed so that the hol	d)
			accommodates more tracks and data per unit area.	
Rema	rks f	or	Codes of Relevance	
			nt of particular relevance; the claimed A: documents defining the general	I state of the
			on cannot be considered novel or art one considered to involve inventive D: documents disclosed in the spe	ecification
s	tep v	vh	en the document is taken alone E: invention documents filed price	
			nt of particular relevance; the claimed published after the filing date	uca calac ov
1			on cannot be considered to involve O: documents referring to public extep when the document is exhibition	use, sales or
			ed with one or more other such P: documents published prior to	
d	locur	me	• •	
<u></u>		_	L: documents cited for other reas	ons

Date of Research: February 27, 2007

中華民國專利公報 [19] [12]

[11]公告編號: 391548

[44]中華民國 89年 (2000) 05月 21日

新型

全 2 頁

[51] Int.Cl ⁰⁶: G11B7/013

[54]名 稱:加強型高密度影音光碟片

[21]申請案號: 087210243 [22]申請日期: 中華民國 87年 (1998) 06月 26日

[72]創作人:

李達明

台北縣汐止鎮新台五路一段七十五號十七樓

[71]申請人:

光德電子股份有限公司

台北縣汐止鎖新台五路一段七十五號十七樓

[74]代理人: 林鎰珠 先生

l

[57]申請專利範圍:

- 1.一種加強型高密度影音光碟片,為在光碟片表面分佈多數由圓圈型式且相鄰排列之資料軌道,各資料軌道為由不同長度之資料孔洞所構成,其特徵在於:各個相鄰資料軌道之間係設為較小間隔距離,而各資料孔洞的寬度設為較窄範圍,並在較低的資料寫入速度,使各資料孔洞的長度呈較短,得在單位面積容納較多軌道數量及較多資料者。
- 2.如申請專利範圍第1項所述之加強型高密度影音光碟片,其中該相鄰資料軌道之間的間隔距離可設在約1.2微米左右者。
- 3.如申請專利範圍第2項所述之加強型高密度影音光碟片,其中該相鄰資料軌道之間的間距可做正或負0.2 微米的變化。

2

- 4.如申請專利範圍第1項所述之加強型高密度影音光碟片,其中各資料孔洞之寬度可設在約350nm左右。
- 5.如申請專利範團第1項所述之加強型高 密度影音光碟片,其中資料寫入速度為 每秒1.0m者。
 - 6.如申請專利範圍第1或5項所述之加強 型高密度影音光碟片,其中該最短資料 孔洞的長度約在0.69 微米左右,最長 資料孔洞的長度約在2.54 微米左右
- 10. 資料孔洞的長度約在2.54 微米左右者。

圖式簡單說明:

第一圖:係光碟片的平面示意圖。 第二圖:係本創作之資料軌道的結

15. 構放大圖・

第三圖:係習知光碟片的資料軌道

的結構放大圖。

